

Shotgun[®]



AGT

- A clear Scepter[®] replacement, with a significant yield advantage
- Very high and stable yields across a range of environments and yield ranges
- Similar maturity to Scepter[®]
- Agronomically very similar to Scepter[®]
- Improved powdery mildew resistance over Scepter[®]
- AH quality classification

Breeder's comments

Shotgun[®] has been a standout performer in our breeding program, and builds upon a famous lineage of varieties: Wyalkatchem[®], Mace[®], Scepter[®] and then Calibre[®].

Shotgun[®] is derived from Scepter[®] and is agronomically very similar. Growers who have experience with Scepter[®] can view Shotgun[®] as a Scepter[®] replacement, with the same maturity and plant type, but offering much higher yield.

Shotgun[®] will also be viewed as an alternative to Calibre[®], Vixen[®] and LRPB Matador[®], for those looking for the next big yield jump.

Shotgun[®] has a very similar disease resistance package to Scepter[®], and offers a small improvement in powdery mildew resistance. Shotgun[®] has good levels of resistance to CCN and yellow leaf spot, making it a great option for mallee type environments or wheat on wheat situations.

We believe that the package of very high yield, good disease resistance, reliable agronomic and physical grain quality attributes, and an AH quality classification will mean that Shotgun[®] is likely to become the dominant variety across SA and Victoria.

Table 1. Specifications

Background

Tested as	RAC3227
Released	2024
EPR rate	\$3.90/tonne + GST

Disease

Stem Rust resistance*	MRMS
Stripe Rust resistance*	S
Leaf Rust resistance*	MSS
Yellow Leaf Spot resistance*	MRMS
Powdery Mildew resistance* (SA)	S
Powdery Mildew resistance* (VIC)	MR (P)
Septoria Tritic Blotch resistance*	SVS
CCN resistance*	R
Pratylenchus Neglectus resistance*	MS (P)
Pratylenchus Neglectus tolerance*	MTMI (P)
Eyespot resistance*	S
Crown Rot resistance*	MSS

Plant Characteristics

Maturity speed^	Quick-mid
Maturity habit^	Spring
Sowing window^	Main & Late
Novel herbicide tolerance^	None (conventional tolerance)
Head type^	Awned
Plant height^	Moderately short
Coleoptile length^	Short
Lodging tolerance^	MTMI

Abiotic Stress

Boron tolerance^	Carries tolerance gene
Acid/aluminium tolerance^	Carries tolerance gene

Grain Quality

Quality classification	AH
Grain colour	White
Screenings level^	Moderate
Test weight^	Moderate
Sprouting tolerance^o	MII
Black Point resistance*	S (P)


Legend

R	Resistant	VI	Very Intolerant	o	Rating based on Germination Index Values
MR	Moderately Resistant	(P)	Provisional rating	^	AGT ratings/data interpretation. Comprehensive AGT agronomic trait ratings and data can be found at: https://bit.ly/Traits_2026
MS	Moderately Susceptible	NA	Not Available		
S	Susceptible	/	Pathotype differences		
VS	Very Susceptible	-	Range		
T	Tolerant	,	Mixed phenotype		
MT	Moderately Tolerant	#	May be more susceptible to alternate pathotypes		
MI	Moderately Intolerant	*	NVT consensus ratings 2026		
I	Intolerant				

Grain yield

Shotgun[®] has set a new yield benchmark in NVT main season trials across all regions of SA and Vic, over-all offering a 6% increase in yield over Scepter[®], and 2% higher yield than next highest yielding variety, Tomahawk CL Plus[®] (Figure 1).

Figure 1. Grain yield of Shotgun[®] versus comparators across SA/VIC - NVT main season trials



Source: Best linear unbiased predictions from NVT long term MET analysis, main season trial series 2021-2025
[] : Total number of trials per region
() : Number of trials that each variety was present in across the dataset
{ } : Region mean

Variety comparisons

Shotgun[®] offers an agronomic package very similar to Scepter[®], but with slightly better powdery mildew and CCN resistance.

Shotgun[®] has an AH quality classification and produces grain with acceptable test weight and screenings levels.

Table 2. Variety comparisons

	Shotgun [®]	Calibre [®]	LRPB Matador [®]	Scepter [®]	Tomahawk CL Plus [®]	Vixen [®]	
Disease	Stem Rust resistance*	MRMS	MRMS	MS	MRMS	MR	MRMS
	Stripe Rust resistance*	S	S	MS	S	S	SVS
	Leaf Rust resistance*	MSS	S	MSS	MSS	S	SVS
	Yellow Leaf Spot resistance*	MRMS	MRMS	MRMS	MRMS	MRMS	MRMS
	Powdery Mildew resistance* (SA)	S	S	MSS	SVS	SVS	SVS
	Powdery Mildew resistance* (VIC)	S	MR (P)	MRMS (P)	SVS	SVS	SVS
	Septoria Tritici Blotch resistance*	SVS	S	S	SVS	SVS	SVS
	CCN resistance*	R	MRMS	MRMS	MRMS	MRMS	MSS
	Pratylenchus Neglectus resistance*	MS (P)	S	S	S	S	MRMS
	Pratylenchus Neglectus tolerance*	MTMI (P)	MT	NA	MTMI	MTMI	I
	Eyespot resistance*	S	S	S (P)	S	MSS	S
	Crown Rot resistance*	MSS	S	S	MSS	MSS	S
Plant Characteristics	Maturity speed^	Quick-mid	Quick	Quick-mid	Mid	Quick-mid	Very quick-quick
	Maturity habit^	Spring	Spring	Spring	Spring	Spring	Spring
	Sowing window^	Main & Late	Main & Late	Main & Late	Main & Late	Main & Late	Main & Late
	Novel herbicide tolerance^	None (conventional tolerance)	None (conventional tolerance)	None (conventional tolerance)	None (conventional tolerance)	Clearfield® Plus (Intervix® herbicide)	None (conventional tolerance)
	Head type^	Awned	Awned	Awned	Awned	Awned	Awned
	Plant height^	Moderately short	Moderate	Short-moderately short	Moderate	Moderate	Short-moderately short
	Coleoptile length^	Short	Long	Short	Short	Short	Short
Abiotic	Lodging tolerance^	MTMI	MII	MTMI	MTMI	MTMI	MTMI
	Boron tolerance^	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Does not carry tolerance gene
	Acid/aluminium tolerance^	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene
Grain Quality	Quality classification	AH	AH	AH	AH	APW	AH
	Grain colour	White	White	White	White	White	White
	Screenings level^	Moderate	Low	Moderate	Low	Low	Low
	Test weight^	Moderate	Low	Moderate	High	High	Moderate
	Sprouting tolerance^ ^o	MII	MII	I	MII	I	IVI
	Black Point resistance*	S (P)	MSS	MRMS (P)	MS	S	MSS



Seed Availability

Please contact an AGT Affiliate or your local retailer for seed. Consult the AGT website for AGT Affiliate contact details (www.agtbreeding.com.au/affiliates). AGT varieties can be traded between growers upon the completion of a License Agreement as part of AGT's Seed Sharing™ initiative (www.agtbreeding.com.au/seedsharing)

PBR and EPR

Varieties denoted by the [®] symbol are protected by Plant Breeders Rights (PBR) and all production (except seed saved for planting) is liable to an End Point Royalty (EPR), which funds future plant breeding. Growers of PBR protected varieties will be subject to a Grower License Agreement that acknowledges that an EPR must be paid on all production other than seed saved for planting.

Contact

Brad Koster, Variety Support Manager, SA:	0400 812 475
Rowan Prior, Variety Support Manager, Vic:	0429 677 736
AGT End Point Royalty team:	(08) 7111 0201
agtbreeding.com.au	

The information contained in this brochure is based on knowledge and understanding at the time of writing. Growers should be aware of the need to regularly consult with their advisors on local conditions and currency of information. Wherever possible, independent NVT data has been used in this publication. In the absence of NVT data, AGT data has been provided.