

PegasusAX[®]



- Carries CoAXium® herbicide tolerance trait (Aggressor® herbicide)
- A derivative of Rosalind^Φ with a similar plant type, offering a shorter plant structure and lower risk of lodging than the 'Compass^Φ' plant types like Titan AX^Φ
- Wide adaptation
- Quick maturity, similar to Maximus^Φ CL and Rosalind^Φ
- Similar grain size as some other high yielding feed varieties including Rosalind^Φ
- FEED quality only

Breeder's comments

PegasusAX^ϕ carries tolerance to Sipcam Aggressor® herbicide (Group 1, Quizalofop-P-Ethyl), which allows growers to control susceptible populations of barley grass, brome grass, annual ryegrass, wild oats and other grass weeds in the barley phase of the rotation; offering an alternative to Clearfield® technology which growers have relied on for some time now.

Opportunistically discovered by Eyre Peninsula farmer Shannan Larwood in 2010, and further developed by the University of Adelaide, this novel herbicide tolerance trait has been bred into a range of widely adapted, high yielding backgrounds; with PegasusAX^ϕ being released to complement its stablemate Titan AX^ϕ.

Whilst Titan AX^ϕ is in a 'Compass^o' style plant type (generally typified by good early vigour, a tall plant type more prone to lodging, and more suited to low-medium rainfall environments), PegasusAX^ϕ is in a 'Hindmarsh^o' type background, offering a shorter, more compact plant type, and better suitability to medium-high rainfall environments.

Like its parent Rosalind^ϕ, PegasusAX^ϕ produces smaller grain. PegasusAX^ϕ is a feed only variety.

PegasusAX^ϕ has produced yields slightly higher than Titan AX^ϕ and Maximus^ϕ CL over-all.

CoAXium® Barley Production System

PegasusAX^ϕ has been specifically developed to carry tolerance to Sipcam Aggressor® herbicide. Aggressor® is a Group 1 Quizalofop-P-Ethyl herbicide, offering post-emergent knockdown of major grass weeds including brome grass, barley grass, annual ryegrass, wild oats, and volunteer wheat and barley (non-Sipcam Aggressor® tolerant only). Sipcam Aggressor® herbicide has a wide application window and flexibility to be mixed with herbicides to control broadleaf weeds, with no carryover on soil or grain residue issues. Distribution of Sipcam Aggressor® herbicide and the CoAXium® stewardship program is administered by Sipcam.

Visit www.coaxium.com.au for more information.

Table 1. Specifications

Background

Tested as	AGTB0667
Released	2024
EPR rate	\$4.15/tonne + GST

Disease

Leaf Rust resistance*	MR
Powdery Mildew resistance*	MS
Net Blotch (Net Form) resistance*	MRMS
Net Blotch (Spot Form) resistance*	MSS
Scald resistance*	MS
Barley Yellow Dwarf Virus resistance*	MS
Crown Rot resistance*	MSS (P)

Plant Characteristics

Maturity speed^	Quick
Maturity habit^	Spring
Sowing window^	Main & Late
Novel herbicide tolerance^	CoAXium® (Aggressor® herbicide)
Head type^	Awned
Early growth habit^	Erect
Plant height^	Moderate
Coleoptile length^	Short
Rachilla hair length^	Long
Lodging tolerance^	MTMI

Grain Quality

Quality classification	FEED
Screenings level^	Moderately high
Retentions level^	Moderately low
Test weight^	Moderately high
Sprouting tolerance^°	MI
Black Point resistance*	MSS (P)


Legend

R	Resistant	VI	Very Intolerant	○	Rating based on Germination Index Values
MR	Moderately Resistant	(P)	Provisional rating	^	AGT ratings/data interpretation. Comprehensive AGT agronomic trait ratings and data can be found at: https://bit.ly/TraitRatings
MS	Moderately Susceptible	NA	Not Available		
S	Susceptible	/	Pathotype differences		
VS	Very Susceptible	-	Range		
T	Tolerant	,	Mixed phenotype		
MT	Moderately Tolerant	#	May be more susceptible to alternate pathotypes		
MI	Moderately Intolerant	*	NVT consensus ratings 2025		
I	Intolerant				

Grain yield

PegasusAX^ϕ has performed well in NVT long term testing, recording yields around 2% above Maximus^ϕ CL and Titan AX^ϕ over-all. Being related to Maximus^ϕ CL, PegasusAX^ϕ shows a similar adaptation pattern, different to the taller, 'Compass' type Titan AX^ϕ (Figure 1).

Figure 1. Predicted grain yield of PegasusAX^ϕ versus comparators across WA regions



Source: NVT long term MET analysis, main season trial series 2020-2024

[] : Total number of trials per region

() : Number of trials that each variety was present in across the dataset

Variety comparisons

PegasusAX[®] has produced grain with good test weight; with higher levels of screenings and lower retention levels than Titan AX[®].

PegasusAX[®] shares a similar plant type with the ‘Hindmarsh’ family of barley varieties (which includes Maximus[®] CL), which is shorter, and therefore offers less risk of lodging than varieties closely related to Compass[®], including Titan AX[®].

Table 2. Variety comparisons

		PegasusAX [®]	Maximus [®] CL	Titan AX [®]
Disease	Leaf Rust resistance*	MR	S	S
	Powdery Mildew resistance*	MS	RMR/S	RMR
	Net Blotch (Net Form) resistance*	MRMS	MRMS-S	MRMS-S
	Net Blotch (Spot Form) resistance*	MSS	MSS	MS
	Scald resistance*	MS	MR	S
	Barley Yellow Dwarf Virus resistance*	MS	MRMS	MS
	Crown Rot resistance*	MSS (P)	S	MSS
Plant Characteristics	Maturity speed^	Quick	Quick	Mid
	Maturity habit^	Spring	Spring	Spring
	Sowing window^	Main & Late	Main & Late	Main
	Novel herbicide tolerance^	CoAXium [®] (Aggressor [®] herbicide)	Clearfield [®] (Intervix [®] herbicide)	CoAXium [®] (Aggressor [®] herbicide)
	Head type^	Awned	Awned	Awned
	Early growth habit^	Erect	Erect	Semi-erect
	Plant height^	Moderate	Short	Very tall
	Coleoptile length^	Short	Very short	Moderate
	Rachilla hair length^	Long	Long	Long
	Lodging tolerance^	MTMI	MT	I
Grain Quality	Quality classification	FEED	MALT	Potential MALT
	Screenings level^	Moderately high	Moderately low	Low
	Retentions level^	Moderately low	Moderately high	High
	Test weight^	Moderately high	High	Moderate
	Sprouting tolerance^°	MI	MI	MI
	Black Point resistance*	MSS (P)	MSS	MSS



Seed Availability

Please contact an AGT Affiliate or your local retailer for seed. Consult the AGT website for AGT Affiliate contact details (www.agtbreeding.com.au/affiliates). AGT varieties can be traded between growers upon the completion of a License Agreement as part of AGT's Seed Sharing™ initiative (www.agtbreeding.com.au/seedsharing)

PBR and EPR

Varieties denoted by the [®] symbol are protected by Plant Breeders Rights (PBR) and all production (except seed saved for planting) is liable to an End Point Royalty (EPR), which funds future plant breeding. Growers of PBR protected varieties will be subject to a Grower License Agreement that acknowledges that an EPR must be paid on all production other than seed saved for planting.

Contact

Floyd Sullivan, Variety Support Manager, Western Australia: 0499 580 260
AGT End Point Royalty team: (08) 7111 0201
agtbreeding.com.au

The information contained in this brochure is based on knowledge and understanding at the time of writing. Growers should be aware of the need to regularly consult with their advisors on local conditions and currency of information. Wherever possible, independent NVT data has been used in this publication. In the absense of NVT data, AGT data has been provided.