AGT-Rio



- Good disease resistance package for higher yielding environments
- Excellent stripe rust and powdery mildew resistance
- Very high yields in medium-high rainfall or disease-pressured environments
- An improved alternative to RockStar[®] and Catapult[®]
- Moderately short plant height with good lodging tolerance
- AH quality classification in southern NSW with an excellent physical grain quality package

Breeder's comments

Varieties suited to the traditional 'early sowing' window of late April to early May are consistently used by growers to help maximise over-all farm yields. AGT-Rio[®] fits this sowing window, and offers improvements over varieties such as RockStar[®] and Catapult[®] which have been used for this purpose.

AGT-Rio[®] has a maturity similar to RockStar[®] and Catapult[®], and is particularly well suited to medium-high rainfall situations.

A key requirement for success in higher rainfall environments is disease resistance, and AGT-Rio[®] holds excellent stripe rust and powdery mildew resistance in particular.

Compared with RockStar⁰, AGT-Rio⁰ offers vast improvements in stripe rust resistance, better sprouting tolerance, higher levels of powdery mildew and septoria tritici resistance, and higher test weights.

Versus Catapult[®], AGT-Rio[®] is much higher yielding, has better lodging tolerance, and offers much higher stripe rust and powdery mildew resistance.

AGT-Rio[®] exhibits a compact plant type with good tolerance to lodging which is a key trait for success in higher yielding environments.

AGT-Rio $^{\phi}$ has an AH quality classification in southern NSW and produces grain with low screenings losses and high test weights.

AGT-Rio®

Table 1. Specifications

Background

Tested as	V15019-88	
Released	2025	
EPR rate	\$3.90/tonne + GST	

Disease

Stem Rust resistance*	MS (P)
Stripe Rust resistance*	MR (P)
Leaf Rust resistance*	S (P)
Yellow Leaf Spot resistance*	MRMS (P)
Powdery Mildew resistance*	MRMS (P)
Septoria Tritici Blotch resistance*	MSS (P)
CCN resistance^	MRMS (P)
Pratylenchus Neglectus resistance*	NA
Pratylenchus Neglectus tolerance*	NA
Pratylenchus Thornei resistance*	NA
Pratylenchus Thornei tolerance*	NA
Crown Rot resistance*	NA

Plant Characteristics

Maturity speed^	Mid	
Maturity habit^	Spring	
Sowing window [^]	Early & Main	
Novel herbicide tolerance^	None (conventional tolerance)	
Head type^	Awned	
Plant height^	Moderately short	
Coleoptile length^	Short	
Lodging tolerance^	MTMI	

Abiotic Stress

Does not carry tolerance gene	
Carries tolerance gene	
t	

Grain Quality

Quality classification	АН
Grain colour	White
Screenings level^	Low
Test weight^	High
Sprouting tolerance^o	MII
Black Point resistance*	NA

Legend

K	Resistant

MR Moderately Resistant

MS Moderately Susceptible

S Susceptible

VS Very Susceptible

T Tolerant

MT Moderately Tolerant

MI Moderately Intolerant

I Intolerant

VI Very Intolerant

(P) Provisional rating

NA Not Available

/ Pathotype differences

- Range

Mixed phenotype

May be more susceptible to alternate pathotypes

* NVT consensus ratings 2025

 Rating based on Germination Index Values


AGT ratings/data interpretation. Comprehensive AGT agronomic trait ratings and data can be found at: https://bit.ly/ TraitRatings

Grain yield

Long term AGT data has shown that AGT-Rio[®] performs exceptionally well relative to comparator varieties under many different situations (Figure 1).

AGT-Rio[®] has been present in limited NVT trials, and has recorded similar yields in southern NSW to RockStar in both early sown (Figure 2) and main season (Figure 3) trials.

Figure 1. Predicted grain yield of AGT-Rio[®] versus comparators - AGT early sown data



Source: AGT long term MET analysis, early sown trials 2021-2024 (91 trials)

[]: Total number of trials per region

Figure 2. Predicted grain yield of AGT-Rio^ versus comparators across southern NSW - NVT early sown data




Source: NVT long term MET analysis, early sown trial series 2020-2024

[]: Total number of trials per region

(): Number of trials that each variety was present in across the dataset

Figure 3. Predicted grain yield of AGT-Rio[®] versus comparators across southern NSW - NVT main season data



Source: NVT long term MET analysis, main season trial series 2020-2024

[]: Total number of trials per region

(): Number of trials that each variety was present in across the dataset

Variety comparisons

AGT-Rio[®] has an AH quality classification in southern NSW, and produces grain with low screenings levels and high test weight. AGT-Rio[®] offers improvements in test weight and sprouting tolerance over RockStar[®].

Disease resistance is a strength of AGT-Rio[®], importantly holding very good stripe rust resistance, a large improvement over Catapult[®] and RockStar[®], and excellent powdery mildew resistance.

AGT-Rio[®] reaches head emergence slightly quicker than Catapult[®] and RockStar[®].

Table 2. Variety comparisons

		AGT-Rio®	Catapult [®]	RockStar [®]
	Stem Rust resistance*	MS (P)	MR	MRMS
	Stripe Rust resistance*	MR (P)	S	S
	Leaf Rust resistance*	S (P)	S	S
	Yellow Leaf Spot resistance*	MRMS (P)	MRMS	MRMS
	Powdery Mildew resistance*	MRMS (P)	S	SVS
ase	Septoria Tritici Blotch resistance*	MSS (P)	MSS	S
Disease	CCN resistance^	MRMS (P)	R	MSS
	Pratylenchus Neglectus resistance*	NA	S	MRMS
	Pratylenchus Neglectus tolerance*	NA	MII	1
	Pratylenchus Thornei resistance*	NA	MS	MS
	Pratylenchus Thornei tolerance*	NA	MT	MI
	Crown Rot resistance*	NA	MSS	S
	Maturity speed^	Mid	Mid-slow	Mid-slow
	Maturity habit^	Spring	Spring	Spring
stics	Sowing window^	Early & Main	Early & Main	Early & Main
Plant Characteristics	Novel herbicide tolerance^	None (conventional tolerance)	None (conventional tolerance)	None (conventional tolerance)
Chai	Head type^	Awned	Awned	Awned
ant	Plant height^	Moderately short	Moderate	Moderately short
	Coleoptile length^	Short	Short	Short
	Lodging tolerance^	MTMI	MI	MTMI
Abiotic Stress	Boron tolerance^	Does not carry tolerance gene	Carries tolerance gene	Does not carry tolerance gene
Ab	Acid/aluminium tolerance^	Carries tolerance gene	Carries tolerance gene	Carries tolerance gene
	Quality classification	АН	AH	APH
ţ	Grain colour	White	White	White
Grain Quality	Screenings level^	Low	Low	Low
ain G	Test weight^	High	High	Moderate
Ö	Sprouting tolerance^o	MII	MII	I
	Black Point resistance*	NA	S	MSS



Please contact an AGT Affiliate or your local retailer for seed. Consult the AGT website for AGT Affiliate contact details (www.agtbreeding.com.au/affiliates). AGT varieties can be traded between growers upon the completion of a License Agreement as part of AGT's Seed Sharing ™ initiative (www.agtbreeding.com.au/seedsharing)

PBR and EPR

Varieties denoted by the [®] symbol are protected by Plant Breeders Rights (PBR) and all production (except seed saved for planting) is liable to an End Point Royalty (EPR), which funds future plant breeding. Growers of PBR protected varieties will be subject to a Grower License Agreement that acknowledges that an EPR must be paid on all production other than seed saved for planting.

Contact

Darcey Boucher-Hill, Variety Support Manager, southern NSW:

0418 394 808

AGT End Point Royalty team:

(08) 7111 0201

agtbreeding.com.au

The information contained in this brochure is based on knowledge and understanding at the time of writing. Growers should be aware of the need to regularly consult with their advisors on local conditions and currency of information. Wherever possible, independent NVT data has been used in this publication. In the absense of NVT data, AGT data has been provided.